





FACHADA INTEGRAL




FACHADA INTEGRAL




FACHADA INTEGRAL







FACHADA INTEGRAL




FACHADA INTEGRAL




FACHADA INTEGRAL




FACHADA INTEGRAL




FACHADA INTEGRAL




FACHADA INTEGRAL



FACHADA INTEGRAL




ALERÓN DE 6"
10655



ALA DE AVIÓN
10669


DIMENSIONES Y CARACTERÍSTICAS

TUBOS CUADRADOS



CLAVE	PULGADAS		MILÍMETROS		PESO Kg/m	PERÍMETRO cm
	A	B	A	B		
7390	0.500	0.050	12.70	1.27	0.158	5.014
7395	0.631	0.074	16.03	1.88	0.286	6.136
7400	0.750	0.050	19.05	1.27	0.245	7.554
7401	0.750	0.063	19.05	1.59	0.303	7.594
7499	1.000	0.050	25.40	1.27	0.335	10.13
7500	1.000	0.045	25.40	1.14	0.303	10.09
7502	1.000	0.063	25.40	1.59	0.413	10.13
7505	1.250	0.063	31.75	1.59	0.524	12.63
7506	1.250	0.125	31.75	3.18	0.990	12.56
7507	1.250	0.049	31.75	1.23	0.412	12.63
7511	1.500	0.050	38.10	1.26	0.507	15.17
7512	1.500	0.040	38.10	1.02	0.399	14.68
7515	1.750	0.053	44.45	1.35	0.639	17.73
7516	1.750	0.045	44.45	1.14	0.544	17.71
7520	2.000	0.063	50.80	1.60	0.855	20.18
7521	2.000	0.053	50.80	1.36	0.735	20.25
7523	2.000	0.125	50.80	3.18	1.651	20.25
7525	2.500	0.082	63.50	2.08	1.404	25.36
7530	3.000	0.082	76.20	2.08	1.694	30.41
7531	3.000	0.062	76.20	1.57	1.283	30.41
7535	4.000	0.125	101.6	3.18	3.410	40.50
17400	0.750	0.043	19.05	1.09	0.212	7.533
17500	1.500	0.043	38.10	1.09	0.291	10.10
17511	1.500	0.042	38.10	1.07	0.433	15.17

TUBOS RECTANGULARES



CLAVE	PULGADAS			MILÍMETROS			PESO Kg/m	PERÍMETRO cm
	A	B	C	A	B	C		
7990	0.374	0.750	0.063	9.50	19.05	1.60	0.222	5.64
8000	0.500	1.000	0.050	12.70	25.40	1.27	0.248	7.55
8001	0.750	1.000	0.040	19.05	25.40	1.02	0.226	8.48
8006	0.750	1.500	0.044	19.05	38.10	1.13	0.340	11.36
8015	1.000	1.500	0.062	25.40	38.10	1.57	0.516	12.56
8020	0.750	1.750	0.061	19.05	44.45	1.56	0.516	12.63
8036	1.000	2.000	0.050	25.40	50.80	1.26	0.507	15.10
8041	1.000	2.000	0.063	25.40	50.80	1.59	0.592	14.15
8045	1.250	2.500	0.062	31.75	63.50	1.57	0.791	18.91
8046	1.250	2.500	0.054	31.75	63.50	1.37	0.698	18.98
8050	1.250	2.500	0.079	31.75	63.50	2.02	1.007	18.98
8051	1.250	2.500	0.060	31.75	63.50	1.52	0.727	17.96
8052	1.250	2.500	0.063	31.75	63.50	1.59	0.757	17.96
8055	1.000	3.000	0.078	25.40	76.20	1.98	1.060	20.25
8065	1.500	3.000	0.078	38.10	76.20	1.98	1.195	22.73
8066	1.500	3.000	0.059	38.10	76.20	1.51	0.920	22.79
8071	1.750	3.000	0.058	44.45	76.20	1.47	0.941	24.06
8075	1.000	4.000	0.079	25.40	101.6	2.01	1.353	17.56
8077	1.500	4.000	0.078	38.10	101.6	1.98	1.468	28.87
8080	1.750	4.000	0.078	44.45	101.6	1.98	1.526	29.74
8085	3.688	5.813	0.125	93.66	147.64	3.18	4.068	47.99
18006	0.750	1.500	0.040	19.05	38.10	1.02	0.307	11.36
18036	1.000	2.000	0.045	25.40	50.80	1.14	0.461	15.10
18055	1.000	3.000	0.062	25.40	76.20	1.57	0.848	20.25
18071	1.750	3.000	0.050	44.45	76.20	1.27	0.820	24.06
18080	1.750	4.000	0.070	44.45	101.60	1.77	1.373	29.14


DIMENSIONES Y CARACTERÍSTICAS

SOLERAS



CLAVE	PULGADAS		MILÍMETROS		PESO Kg/m	PERÍMETRO cm
	A	B	A	B		
8508	1.000	0.250	25.40	1.27	0.440	6.324
8509	0.750	0.125	19.05	1.88	0.165	4.419
8519	0.500	0.063	12.70	1.27	0.055	2.80
8520	0.500	0.125	12.70	1.59	0.110	3.149
8522	0.500	0.250	12.70	1.27	0.219	3.74
8523	0.750	0.188	19.05	1.14	0.248	4.70
8524	0.750	0.063	19.05	1.59	0.083	4.08
8525	1.000	0.063	25.40	1.59	0.109	5.33
8527	1.000	0.125	25.40	3.18	0.220	5.689
8528	4.000	0.375	101.6	1.23	2.642	22.16
8529	1.000	0.187	25.40	1.26	0.330	5.97
8530	1.500	0.250	38.10	1.02	0.656	8.82
8531	1.500	0.500	38.10	1.35	1.313	9.88
8533	1.500	0.125	38.10	1.14	0.330	8.229
8535	2.000	0.125	50.80	1.60	0.440	10.77
8536	2.000	0.075	50.80	1.36	0.264	10.48
8537	2.000	0.187	50.80	3.18	0.655	11.04
8538	2.637	0.073	66.98	2.08	0.337	13.61
8541	3.937	0.394	100.0	2.08	2.730	21.93
8542	5.906	0.394	150.0	1.57	4.096	31.93
8543	3.000	0.250	76.20	3.18	1.321	16.44
8544	5.966	0.591	150.0	1.09	6.144	32.94
8545	3.875	0.124	98.43	1.09	0.847	20.25
8546	3.875	0.079	98.43	1.07	0.542	20.02
8547	4.000	0.260	101.6		1.830	21.57
8549	1.250	0.188	31.75		0.412	7.31
8551	5.906	0.787	150.0		8.189	33.93
8553	7.874	0.787	200.0		10.918	43.93
8554	7.874	0.984	200.0		13.648	44.93
8556	7.874	0.394	200.0		5.460	41.93
8563	5.000	0.500	127.0		4.403	27.87
8564	1.500	0.188	38.10		0.495	8.49
8565	2.000	1.000	50.80		3.520	15.07
8570	1.500	0.368	38.10		0.970	9.42

ÁNGULOS



CLAVE	PULGADAS			MILÍMETROS			PESO Kg/m	PERÍMETRO cm
	A	B	C	A	B	C		
8608	0.750	0.750	0.050	19.05	19.05	1.27	0.128	7.580
8909	0.500	0.500	0.050	12.70	12.70	1.27	0.084	5.04
8615	0.500	0.500	0.063	12.70	12.70	1.59	0.103	5.041
8616	0.250	0.500	0.052	6.35	12.70	1.33	0.065	3.81
8619	0.750	0.750	0.040	19.05	19.05	1.02	0.103	7.52
8620	0.750	0.750	0.063	19.05	19.05	1.59	0.158	7.581
8621	0.750	0.500	0.063	19.05	12.70	1.59	0.130	6.25
8625	0.750	0.750	0.125	19.05	19.05	3.18	0.303	7.581
8629	1.000	1.000	0.040	25.40	25.40	1.02	0.137	10.06
8630	1.000	1.000	0.045	25.40	25.40	1.14	0.155	10.09
8632	1.000	1.000	0.063	25.40	25.40	1.59	0.213	10.12
8634	1.000	1.000	0.050	25.40	25.40	1.27	0.172	10.12
8635	1.500	0.750	0.125	38.10	19.05	3.18	0.468	11.39
8640	1.000	1.000	0.125	25.40	25.40	3.18	0.413	10.12
8642	1.250	1.250	0.063	31.75	31.75	1.59	0.268	12.60
8643	1.000	1.000	0.188	25.40	25.40	4.76	0.598	10.06
8644	1.250	1.250	0.125	31.75	31.75	3.18	0.523	12.66
8645	1.500	1.500	0.188	38.10	38.10	4.76	0.926	15.12
8646	1.500	1.500	0.125	38.10	38.10	3.18	0.633	15.20
8647	1.500	1.500	0.250	38.10	38.10	6.35	1.226	15.14
8648	1.500	1.500	0.063	38.01	38.01	1.59	0.323	15.20
8649	2.000	2.000	0.063	50.80	50.80	1.59	0.433	20.28
8650	2.000	2.000	0.188	50.80	50.80	4.76	1.259	20.22
8651	2.000	2.000	0.125	50.80	50.80	3.18	0.853	20.28
8652	2.000	2.000	0.250	50.80	50.80	6.35	1.648	20.10
8660	3.000	3.000	0.250	76.20	76.20	6.35	2.532	30.38
8670	1.500	1.500	0.058	38.10	25.40	1.47	0.249	12.60
8680	1.500	1.000	0.125	38.10	25.40	3.18	0.520	12.60
8665	4.000	4.000	0.250	101.6	101.6	6.35	3.412	40.54